



Jangro Limited  
James House  
Worsley Road  
Farnworth  
Bolton  
BL4 9NL

**JANGRO BG250**

Revision April 2004

Tel. 0845 458 5223

## PRODUCT SAFETY DATA SHEET

### 1 IDENTIFICATION OF PREPARATION AND THE SUPPLIER

Trade Name: JANGRO VINYL DRESSING

Supplier: Jangro Limited, as above

### 2 INFORMATION ON INGREDIENTS

Ingredient Name	EINECS No.	CAS No.	% Range	Symbol	Risk Phrase
Aliphatic Distillate	265-150-3	64742-48-9	60-100%	Xn	R10,65,66

The full text for all R-Phrases are displayed in section 16

### 3 HAZARDS IDENTIFICATION

Harmful: may cause lung damage if swallowed. Repeated exposure may cause skin dryness or cracking

### 4 FIRST AID MEASURES

Eyes: Promptly wash eyes with plenty of water while lifting the eye lids. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.

Skin: Remove affected person from source of contamination. Remove contaminated clothing. Wash the skin immediately with soap and water. Get medical attention promptly if symptoms occur after washing.

Ingestion: DO NOT INDUCE VOMITING! If vomiting occurs, keep head low so that stomach content doesn't get into lungs. Drink plenty of water. Get medical attention promptly if symptoms occur after washing.

Inhalation: Move the exposed person to fresh air at once. Get medical attention. Provide rest, warmth and fresh air. For breathing difficulties oxygen may be necessary.

### 5 FIRE FIGHTING MEASURES

Extinguishing Media: Fire can be extinguished using: Foam. Dry chemicals, sand, dolomite etc

Special Fire Fighting: Avoid breathing fire vapours. Cool containers exposed to flames with water until well after the fire is out.

Procedures:

### 6 ACCIDENTAL RELEASE MEASURES

Spillage Cleanup Methods: Wear necessary protective equipment. Absorb in vermiculite, dry sand or earth and place into containers. Do not contaminate water sources or sewer.

### 7 HANDLING AND STORAGE

Usage: Avoid spilling, skin and eye contact. Ventilate well, avoid breathing vapours. Use approved respirator if air contamination is above accepted level.

Storage: Keep in cool, dry, ventilated storage and closed containers. Keep in original container.

**8 PERSONAL PROTECTION/EXPOSURE CONTROLS**

Ingredient Comments: OES= Occupational Exposure Standard

**Protective Equipment:**

Ventilation:	Provide adequate general and local exhaust ventilation
Respirators:	No specific recommendation made, but respiratory protection must be used if the general level exceeds the occupational exposure level (OEL)
Protective Gloves:	Use protective gloves
Eye Protection:	Wear approved safety goggles
Other Protection:	Wear appropriate clothing to prevent any possibility of liquid contact and repeated or prolonged vapour contact.
Hygienic Work Practices:	DO NOT SMOKE IN WORK AREA! Wash at the end of work shift and before eating, smoking and using the toilet. Promptly remove any clothing that becomes contaminated. Wash promptly with soap & water if skin becomes contaminated. Use appropriate skin cream to prevent drying of skin. No eating or drinking while working with this material.

**9 PHYSICAL AND CHEMICAL PROPERTIES**

Appearance:	Liquid. Clear
Colour:	Colourless
Odour/Taste:	Perfume
Flash Point (°C):	>70
Density/Specific Gravity (g/ml):	0.824-0.834 @ 20°C
pH-value, conc. Solution:	N/A
Solubility Description:	Immiscible with water.

**10 STABILITY AND REACTIVITY**

Stability:	Normally stable
Hazardous Decomp. Products	Fires creates: Irritating gases/vapours/fumes of : Carbon monoxide (CO) Carbon dioxide (CO <sub>2</sub> )

**11 TOXICOLOGICAL INFORMATION**

Eyes:	Spray and vapour in the eyes may cause irritation and smarting
Skin:	Acts as a defatting agent on skin. May cause cracking of skin, and eczema. Prolonged or repeated exposure may cause severe irritation
Ingestion:	Harmful: may cause lung damage if swallowed
Inhalation:	Vapour may irritate respiratory system or lungs.

**12 ECOLOGICAL INFORMATION**

Ecological Information	Not regarded as dangerous for the environment
------------------------	---

**13 DISPOSAL CONSIDERATIONS**

Disposal Method:	Dispose of in accordance with Local Authority requirements
------------------	--

**14 TRANSPORT INFORMATION**

Road Transport Notes:	Not classified
Sea Transport Notes:	Not classified
Air Transport Notes:	Not classified

**15 REGULATORY INFORMATION**

Label for Supply:

**HARMFUL**

Risk Phrases:	R-65 R-66	Harmful: may cause lung damage if swallowed Repeated exposure may cause skin dryness or cracking
Safety Phrases:	S-2 S-23 S-26  S-28 S-37/39 S-51 S-62	Keep out of reach of children. Do not breathe gas/fumes/vapours/spray In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.  After contact with skin, wash immediately with plenty of water. Wear suitable gloves and eye/face protection Use only in well ventilated areas If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.
Statutory Instruments:	Chemicals (Hazard information and packaging) Regulations.	
Approved Code of Practice:	Classification and labelling of substances and preparations dangerous for supply.	
Guidance Notes:	Occupational Exposure Limits EH40. Introduction to Local Exhaust Ventilation HS (G) 37. CHIP for everyone HSG (108)	

**16 OTHER INFORMATION**

This information is based on our present state of knowledge and is intended to describe our products from the point of view of the safety requirements. However, the information is provided without any warrantee, express or implied regarding its correctness.

User Notes:	The following risk phrase relate to the raw materials in the product and not the product itself:	
R-Phase:	R-10	Flammable
	R-65	Harmful: may cause lung damage if swallowed
	R-66	Repeated expose may cause skin dryness or cracking